

THE UNITED REPUBLIC OF TANZANIA



MINISTRY OF WORKS AND TRANSPORT

TANZANIA NATIONAL ROADS AGENCY



When you reply please specify:

Ref. No: AC.74/251/25

Date: 1st June 2022

To: All Prospective Bidders

RE: ROAD SAFETY STRENGTHENING ALONG BUS RAPID TRANSIT (BRT) PHASE 1 CORRIDOR, PACKAGE B: REHABILITATION OF A SECTION OF OBAMA DRIVE INCLUDING INTEGRATION OF FERRY ACCESS TO KIVUKONI BUS TERMINAL AND MSIMBAZI ROAD, TENDER NO.: AE/001/2021-22/HQ/W/40

Sub: Addendum No. 2 to the Bidding Documents

Please refer to the above subject.

Pursuant to Sub-Clause 8.1 of the Instructions to Bidders (ITB) of the Bidding Documents, TANROADS issues the attached **Addendum No. 2** to the Bidding Documents.

Eng. Rogatus H. Mativila
CHIEF EXECUTIVE


Encl: as stated

3rd Floor, 10 Shaaban Robert Road/Garden Avenue Junction, P.O. Box 11364, Dar es Salaam, 
Telephone: +255222926001-6, Fax: +2552229211/2/3/4,
Email: tanroadshq@tanroads.go.tz, website: www.tanroads.go.tz





THE UNITED REPUBLIC OF TANZANIA
MINISTRY OF WORKS AND TRANSPORT



TANZANIA NATIONAL ROADS AGENCY (TANROADS)

**ROAD SAFETY STRENGTHENING ALONG BRT PHASE 1 CORRIDOR, PACKAGE B:
REHABILITATION OF A SECTION OF OBAMA DRIVE INCLUDING INTEGRATION OF
FERRY ACCESS TO KIVUKONI BUS TERMINAL AND MSIMBAZI ROAD;**

TENDER NO.: AE/001/2021-22/HQ/W/40

Addendum No. 2 to the Bidding Documents

Date: 1st June 2022

Addendum No. 2 to the Bidding Documents is issued in accordance with Instructions to Bidders, Clause 8.1 to effect changes to the Bidding Documents and will become binding document, overriding the original provisions to the applicable extent indicated. All other items and conditions of the original Bidding Documents remain unchanged. The following provisions of the Bidding Documents are amended as follows:

Item No. 1 (Page 56)

Replace:

SS.4214 MEASUREMENT AND PAYMENT

Amend the description pay item 42.02 of the Standard Specification as follows:

Item	Description	Unit
SS42.02	Asphalt concrete surfacing	
(a)	Asphalt concrete surfacing (PG76-4 performance grade bitumen)	
(i)	Aggregate max. size 9.5mm	
(1)	40mm thick SP9.5 AC surfacing	Cubic metre (m ³)
(ii)	Aggregate max. size 12.5mm	
(1)	50mm thick SP12.5 AC surfacing	Cubic metre (m ³)
(b)	Bitumen for asphalt concrete surfacing (PG76-4 performance grade bitumen)	Tonnes (t)

With:

SS.4214 MEASUREMENT AND PAYMENT

Amend the description pay item 42.02 of the Standard Specification as follows:

Item	Description	Unit
SS42.02	Asphalt concrete surfacing	
(a)	Asphalt concrete surfacing (PG76-16 performance grade bitumen)	
(1)	40mm thick SP9.5 wearing course	Cubic metre (m ³)
(ii)	Aggregate max. size 12.5mm	
(1)	50mm thick SP12.5 wearing course.....	Cubic metre (m ³)
(b)	Bitumen for wearing course (PG76-16 performance grade bitumen)	Tonnes (t)